

LIST of PUBLICATIONS

70. **Böttger-Schnack, R., & D. Schnack** 2023. The microcopepod family Oncaeidae: state of knowledge and perspectives. *Marine Biology* 170:110, 46 pp. <https://doi.org/10.1007/s00227-023-04249-6> (view paper at <https://rdcu.be/dhKsW>)
69. CHO, K., PARK, C. & **R. BÖTTGER-SCHNACK** 2021. Taxonomy of three species of the genus *Spinoncaea* (Copepoda, Oncaeidae) in the North Pacific Ocean with focus on morphological variability. *ZooKeys* 1043: 147-191. <https://doi.org/10.3897/zookeys.1043.64438>
68. BÖTTGER-SSCHNACK, R., & A. GUBANOVA 2021. Obituary Alexandra Alexandrovna Shmeleva 1926-2021. *Crustaceana* 94(6), 751-755.
67. KRŠINIĆ, F., **BÖTTGER-SCHNACK, R., & O. VIDJAK** 2020. Small copepods of the deep South Adriatic Pit: diversity, seasonal and multi-annual dynamics, and implications from the regional hydrography. *Environ Monit Assess* 192: 545. <https://doi.org/s10661-020-08462-4> (view paper at <https://rdcu.be/b554n>)
66. CHO, K., **BÖTTGER-SCHNACK, R., KIM, W.-S. & W. LEE** 2019. Two new species of the *similis*-subgroup of *Triconia* (Copepoda, Oncaeidae) and a redescription of *T. denticula* from the northeastern equatorial Pacific. *Zoosystema* 41 (28): 567-593.
<https://doi.org/10.5252/zoosystema2019v41a28>)
65. **BÖTTGER-SCHNACK, R. & D. SCHNACK** 2019. OncIdent – an interactive identification key for Oncaeidae Giesbrecht, 1893 [“1892”] (Copepoda: Cyclopoida). *Mar. Biodiv.* 49(2): 1043-1046. DOI 10.1007/s12526-018-0863-z (view paper at <http://rdcu.be/Jf5Z>)
64. CHO, K., **BÖTTGER-SCHNACK, R., KIM, W.-S. & W. LEE** 2017. Two species of the *conifera*-subgroup of *Triconia* (Copepoda, Cyclopoida, Oncaeidae) from the Northeastern equatorial Pacific, with a first description of the male of *T. hirsuta* Wi, Böttger-Schnack and Soh, 2010. *Zootaxa* 4286 (3): 347-369.
63. **BÖTTGER-SCHNACK, R. & D. SCHNACK** 2015. Development of an interactive identification key for Oncaeidae (Copepoda: Cyclopoida). *J. Nat. Hist.* 49 (45-48), 2727-2741. DOI 10.1080/00222933.2015.1022614
62. CHO, K., KIM, W.-S., **BÖTTGER-SCHNACK, R. & W. LEE** 2013. A new species of the *dentipes*-subgroup of *Triconia* and a redescription of *T. giesbrechti* and *T. elongata* (Copepoda: Cyclopoida: Oncaeidae) from the tropical Pacific and the Korea Strait. *J. Nat. Hist.* 47 (25-28): 1707-1743.
61. McKINNON, A.D., DUGGAN, S., **BÖTTGER-SCHNACK, R., GUSMÃO, L.F.M. & R.A. O'LEARY** 2013. Depth structuring of pelagic copepod biodiversity in waters adjacent to an Eastern Indian Ocean coral reef. *J. Nat. Hist.* 47 (5-12): 639-665. DOI 10.1080/00222933.2012.674645
60. **BÖTTGER-SCHNACK, R. & D. SCHNACK** 2013. Definition of species groups of Oncaeidae (Copepoda: Cyclopoida) as basis for a worldwide identification key. *J. Nat. Hist.* 47 (5-12): 265-288. DOI 10.1080/00222933.2012.708453

59. WI, J.H., BÖTTGER-SCHNACK, R. & H.Y. SOH 2012. Two new species belonging to the *dentipes*- and *conifera*-subgroups of *Triconia* (Copepoda: Cyclopoida: Oncaeidae) from the East China Sea. *J. Crust. Biol.* 32(5): 843-859.
58. BÖTTGER-SCHNACK, R. & R.J. MACHIDA 2011. Comparison of morphological and molecular traits for species identification and taxonomic grouping of oncaeid copepods. *Hydrobiologia* 666: 111-125.
57. BÖTTGER-SCHNACK, R. 2011. Taxonomic re-examination and distribution of copepods reported as *Oncaeaa notopus* Giesbrecht, 1891 (Copepoda, Oncaeidae) in the Mediterranean Sea. *Mar. Biodiv.* 41: 325-341.
56. WI, J.H., BÖTTGER-SCHNACK, R & H.Y. SOH 2010. Species of *Triconia* of the *conifera*-subgroup (Copepoda, Cyclopoida, Oncaeidae) from Korean waters, including a new species. *J. Crust. Biol.* 30(4):673-691.
55. ABERLE, N., HANSEN, T., BÖTTGER-SCHNACK, R., BURMEISTER, A., POST, A. F. & U. SOMMER 2010. Differential routing of 'new' nitrogen toward higher trophic levels within the marine food web of the Gulf of Aqaba, northern Red Sea. *Mar. Biol.* 157:157-169
54. BÖTTGER-SCHNACK, R. & D. SCHNACK 2009. Taxonomic diversity and identification problems of oncaeid microcopepods in the Mediterranean Sea. *Mar. Biodiv.* 39: 131-145.
53. BÖTTGER-SCHNACK, R. 2009. Taxonomy of Oncaeidae (Copepoda, Poecilostomatoida) from the Red Sea. – IX. *Epicalymma bulbosa* sp. nov., first record of the genus from the Red Sea. *J. Plankton Res.* 31:1027-1043.
52. KOPPELMANN, R., BÖTTGER-SCHNACK, R., MÖBIUS, J., & H. WEIKERT 2009. Trophic relationships of zooplankton in the eastern Mediterranean based on stable isotope measurements. *J. Plankton Res.* 31 (6): 669-686
51. BÖTTGER-SCHNACK, R., SCHNACK, D. & W. HAGEN 2008. Microcopepod community structure in the Gulf of Aqaba and the northern Red Sea, with special reference to Oncaeidae. *J. Plankton Res.* 30: 529-550.
50. MCKINNON, A.D., DUGGAN, S., CARLETON, J.H. & R. BÖTTGER-SCHNACK 2008. Summer planktonic copepod communities of Australia's North West Cape (Indian Ocean) during the 1997-99 El Niño/La Niña. *J. Plankton Res.* 30: 839-855
49. SCHNACK-SCHIEL, S.B., NIEHOFF, B., HAGEN, W., BÖTTGER-SCHNACK, R., CORNILS, A., DOWIDAR, M.M., PASTERNAK, A., STAMBLER, N., STÜBING, D. & C. RICHTER 2008. Population dynamics and life strategies of *Rhincalanus nasutus* (Copepoda) at the onset of the spring bloom in the Gulf of Aqaba (Red Sea). *J. Plankton Res.* 30: 655-672.
48. BÖTTGER-SCHNACK, R. 2008 ("2007") Obituary Kunigunde Hulsemann. *Mitt. hamb. zool. Mus. Inst.* 104: 1-5. (dated 2007)
47. HUYS, R. & R. BÖTTGER-SCHNACK 2008 ("2007") Taxonomy of Oncaeidae (Copepoda, Poecilostomatoida) from the Red Sea. - VIII. Morphology and phylogenetic position of *Oncaeaa tregoubovi* Shmeleva, 1968 and the closely related *Oncaeaa prendeli* Shmeleva, 1966 from the Mediterranean Sea. *Mitt. hamb. zool. Mus. Inst.* 104: 89-127. (dated 2007)
46. ELVERS, D., BÖTTGER-SCHNACK, R., BLOHM, D. & W., HAGEN 2006. Sympatric size

variants of the microcopepod *Oncaeа venusta* exhibit distinct lineages in DNA sequences. Mar. Biol. 149:503-513.

45. BÖTTGER-SCHNACK, R. 2005. Taxonomy of Oncaeidae (Copepoda, Poecilostomatoida) from the Red Sea. VII. *Oncaeа cristata*, a new species related to the *ovalis*-complex, and a revision of *O. ovalis* Shmeleva and *O. bathyalis* Shmeleva from the Mediterranean. Cah. Biol. Mar. 46: 161-209.

44. BÖTTGER-SCHNACK, R. & D. SCHNACK 2005. Population structure and fecundity of the microcopepod *Oncaeа bispinosa* in the Red Sea - a challenge to general concepts for the scaling of fecundity. Mar. Ecol. Prog. Ser. 302: 159-175.

43. GIBBONS, M.J., RICHARDSON, A.J., ANGEL, M.V., BUECHER, E., ESNAL, G., FERNANDEZ ALAMO, M.A., GIBSON, R., ITOH, H., PUGH, P., **BÖTTGER-SCHNACK, R. & E. THUESEN** 2005. What determines the likelihood of species discovery in marine holozooplankton: is size, range or depth important ? Oikos 109: 567-576.

42. BÖTTGER-SCHNACK, R. 2004. *Triconia parasimilis* Böttger-Schnack, 1999 (Copepoda, Oncaeidae), first record from the NW Pacific (Oyashio), with the description of the male. Mitt. hamb. zool. Mus. Inst. 101: 213-223.

41. BÖTTGER-SCHNACK, R. & R. HUYS 2004. Size polymorphism in *Oncaeа venusta* Philippi, 1843 and the validity of *O. frosti* Heron, 2002: a commentary. Hydrobiologia 513: 1-5.

40. BÖTTGER-SCHNACK, R., LENZ, J. & H. WEIKERT 2004. Are taxonomic details of relevance to ecologists ? An example from oncaeid microcopepods of the Red Sea. Mar. Biol. 144: 1127-1140.

39. BÖTTGER-SCHNACK, R. 2003. Taxonomy of Oncaeidae (Copepoda, Poecilostomatoida) from the Red Sea. V. Three species of *Spinoncaeа* gen. nov. (*ivlevi*-group), with notes on zoogeographical distribution. Zool. J. Linn. Soc. 137: 187-226.

38. BÖTTGER-SCHNACK, R. 2002. Taxonomy of Oncaeidae (Copepoda, Poecilostomatoida) from the Red Sea. VI. Morphology and zoogeography of *Oncaeа bispinosa* sp. nov., a sister taxon of *O. zernovi* Shmeleva. J. Plankton Res. 24: 1107-1129.

37. SOMMER, U., BERNINGER, U.-G., **BÖTTGER-SCHNACK, R.**, CORNILS, A., HAGEN, W., HANSEN, T., AL-NAJJAR, T., POST, A.F., SCHNACK-SCHIEL, S.B., STIBOR, H., STÜBING, D. & S. WICKHAM 2002. Grazing during early spring in the Gulf of Aqaba and the northern Red Sea. Mar. Ecol. Prog. Ser. 239: 251-261.

36. BÖTTGER-SCHNACK, R. 2001. Taxonomy of Oncaeidae (Copepoda, Poecilostomatoida) from the Red Sea. II. Seven species of *Oncaeа* s. str. Bull. nat. Hist. Mus. Lond. (Zool.) 67(1): 25-84.

35. BÖTTGER-SCHNACK, R., HAGEN, W. & S.B. SCHNACK-SCHIEL 2001. The microcopepod fauna in the Gulf of Aqaba, northern Red Sea: Species diversity and distribution of Oncaeidae (Poecilostomatoida). J. Plankton Res. 23: 1029-1035.

34. BÖTTGER-SCHNACK, R. & R. HUYS 2001. Taxonomy of Oncaeidae (Copepoda, Poecilostomatoida) from the Red Sea. III. Morphology and phylogenetic position of *Oncaeа subtilis* Giesbrecht, 1892. Proceedings of the 7th International Conference on Copepoda, Curitiba, Brazil, July 25 - 31, 1999. Hydrobiologia 453/454: 467-481.

33. BÖTTGER-SCHNACK, R. 2000. Taxonomy of Oncaeidae (Copepoda, Poecilostomatoida) from the

Red Sea. IV. First record of the male of *Triconia recta* Böttger-Schnack, with notes on its distribution. Mitt. hamb. zool. Mus. Inst. 97: 67-76.

32. BÖTTGER-SCHNACK, R. 1999. Taxonomy of Oncaeidae (Copepoda, Poecilostomatoida) from the Red Sea. I. 11 species of *Triconia* gen. nov. and a redescription of *T. similis* (Sars) from Norwegian waters. Mitt. hamb. zool. Mus. Inst. 96: 37-128.

31. BÖTTGER-SCHNACK, R. & R. HUYS 1998. Species groups within the genus *Oncaea* (Copepoda, Poecilostomatoida). Proceedings of the 6th International Conference on Copepoda, Oldenburg/Bremerhaven, Germany, July 29 - August 3, 1996. J. mar. Syst. 15: 369-371.

30. BÖTTGER-SCHNACK, R. 1997. Vertical structure of small metazoan plankton, especially non-calanoid copepods.II. Deep Eastern Mediterranean (Levantine Sea). Oceanol. Acta 20: 399-419.

29. BÖTTGER-SCHNACK, R. & R. HUYS 1997a. *Archioncaea arabica* gen. et sp. nov., a remarkable oncaeid (Copepoda: Poecilostomatoida) from the northern Arabian Sea. Cah. Biol. Mar. 38: 79-89.

28. BÖTTGER-SCHNACK, R. & R. HUYS 1997b. Morphological observations on *Oncaea mediterranea* (Claus, 1863) (Copepoda: Poecilostomatoida) with a comparison of Red Sea and eastern Mediterranean populations. Bull. nat. Hist. Mus. Lond. (Zool.) 63: 137-147.

27. HUYS, R. & R. **BÖTTGER-SCHNACK** 1996/1997. On the diphyletic origin of the Oncaeidae Giesbrecht, 1892 (Copepoda: Poecilostomatoida) with a phylogenetic analysis of the Lubbockiidae fam. nov. Zool. Anz. 235: 243-261.

26. BÖTTGER-SCHNACK, R. 1996. Vertical structure of small metazoan plankton, especially non-calanoid copepods.I. Deep Arabian Sea. J. Plankton Res. 18: 1073-1101.

25. OHTSUKA, S., **BÖTTGER-SCHNACK, R.**, OKADA, M. & T. ONBÉ 1996. In situ feeding habits of *Oncaea* (Copepoda: Poecilostomatoida) from the upper 250 m of the central Red Sea, with special reference to consumption of appendicularian houses. Bull. Plankton Soc. Japan 43: 89-105.

24. BÖTTGER-SCHNACK, R. 1995. Summer distribution of micro- and small mesozooplankton in the Red Sea and Gulf of Aden, with special reference to non-calanoid copepods. Mar. Ecol. Prog. Ser. 118: 81-102.

23. BÖTTGER-SCHNACK, R. 1994. The microcopepod fauna in the Eastern Mediterranean and Arabian Seas: a comparison with the Red Sea fauna. In: FERRARI, F.D. & B.P. BRADLEY (eds), Ecology and morphology of copepods. Proceedings of the 5th International Conference on Copepoda, Baltimore, USA, June 6-13, 1993; Developments in Hydrobiology 102: 271-282; reprinted from Hydrobiologia 292/293.

22. HUYS, R. & R. **BÖTTGER-SCHNACK** 1994. Taxonomy, biology and phylogeny of Miraciidae (Copepoda: Harpacticoida). Sarsia 79: 207-283.

21. KINZER, J., **BÖTTGER-SCHNACK, R.** & K. SCHULZ 1993. Aspects of horizontal distribution and diet of myctophid fish in the Arabian Sea with reference to the deep water oxygen deficiency. Deep-Sea Res. II. Vol. 40 (3): 783-800.

20. BÖTTGER-SCHNACK, R. 1992. Community structure and vertical distribution of cyclopoid and poecilostomatoid copepods in the Red Sea. III. Re-evaluation for separating a new species of *Oncaea*. Mar. Ecol. Prog. Ser. 80: 301-304.

19. HUYS, R., BOXSHALL, G.A. & R. BÖTTGER-SCHNACK 1992. On the discovery of the male of *Mormonilla* Giesbrecht 1892 (Copepoda, Mormonilloida). Bull. Br. Mus. nat. Hist. (Zool.) 58 (2): 157-170.
18. BÖTTGER-SCHNACK, R. 1991. Seasonal changes in the vertical distribution and size structure of *Macrosetella gracilis* populations (Copepoda, Harpacticoida) in the Red Sea. Bull. Plankton Soc. Japan (Spec. Vol.): 309-320.
17. BÖTTGER-SCHNACK, R. 1990 a. Community structure and vertical distribution of cyclopoid copepods in the Red Sea. I. Central Red Sea, autumn 1980. Mar. Biol. 106: 473-485.
16. BÖTTGER-SCHNACK, R. 1990 b. Community structure and vertical distribution of cyclopoid copepods in the Red Sea. II. Aspects of seasonal and regional differences. Mar. Biol. 106: 487-501.
15. BÖTTGER-SCHNACK, R. & G.A. BOXSHALL 1990. Two new *Oncaeaa* species (Copepoda: Poecilostomatoida) from the Red Sea. J. Plankton Res. 12: 861-871.
14. BÖTTGER-SCHNACK, R. 1989. Body length of female *Macrosetella gracilis* (Copepoda: Harpacticoida) from various depth zones in the Red Sea. Mar. Ecol. Prog. Ser. 52: 33-37.
13. BÖTTGER-SCHNACK, R. & D. SCHNACK 1989. Vertical distribution and population structure of *Macrosetella gracilis* (Copepoda: Harpacticoida) in the Red Sea in relation to the occurrence of *Oscillatoria* (*Trichodesmium*) spp. (Cyanobacteria). Mar. Ecol. Prog. Ser. 52: 17-31.
12. BÖTTGER-SCHNACK, R., SCHNACK, D. & H. WEIKERT 1989. Biological observations on small cyclopoid copepods in the Red Sea. J. Plankton Res. 11: 1089-1101.
11. BÖTTGER-SCHNACK, R. 1988. Observations on the taxonomic composition and vertical distribution of cyclopoid copepods in the central Red Sea. In: BOXSHALL, G.A. & H.K. SCHMINKE (eds), Biology of Copepods. Proceedings of the Third International Conference on Copepoda, London, August 10-14, 1987. Hydrobiologia 167/168: 311-318.
10. BOXSHALL, G.A. & R. BÖTTGER-SCHNACK 1988. Unusual ascothoracid nauplii from the Red Sea. Bull. Br. Mus. nat. Hist. (Zool.) 54: 275-283.
09. BÖTTGER, R. 1987. The vertical distribution of micro- and small mesozooplankton in the central Red Sea. Biol. Oceanogr. 4: 383-402.
08. BOXSHALL, G.A. & R. BÖTTGER 1987. Two new species of *Oncaeaa* (Copepoda: Poecilostomatoida) from the Red Sea and a redescription of *O. atlantica* Shmeleva. J. Plankton Res. 9: 553-564.
07. BÖTTGER, R. & D. SCHNACK 1986. On the effect of formaldehyde fixation on the dry weight of copepods. Meeresforsch. 31: 141-152.
06. FERRARI, F.D. & R. BÖTTGER 1986. Sexual dimorphism and a sex-limited polymorphism in the copepod *Paroithona pacifica* Nishida, 1985 (Cyclopoida: Oithonidae) from the Red Sea. Proc. Biol. Soc. Wash. 99: 274-285.
05. BÖTTGER, R. 1985. Untersuchungen zur Verteilung der kleinen Metazoa im Plankton des Roten Meeres, unter besonderer Berücksichtigung cyclopoider und harpacticoider Copepoden. Diss. Fachbereich Biologie, Universität Hamburg, 248 pp.

- 04. BÖTTGER, R.** 1984. The effect of formalin fixation on the dry weight of copepods, with special reference to *Eurytemora affinis* (POPPE 1880). ICES C.M. 1984/L:24.
- 03. BÖTTGER, R.** 1982. Studies on the small invertebrate plankton of the Sargasso Sea. Helgoländer Meeresunters. 35: 369-383.
02. SCHNACK, D. & R. **BÖTTGER** 1981. Interrelation between invertebrate plankton and larval fish development in the Schlei fjord, Western Baltic. Kieler Meeresforsch., Sonderh. 5: 202-210.
- 01. BÖTTGER, R.** 1979. Untersuchungen über das Zooplankton der Schlei im Hinblick auf das Nahrungsangebot für Heringslarven im Frühjahr. Diplomarbeit Universität Hamburg, Fachbereich Biologie, 109pp.